Light Attenuation in the Experimental Lakes Area - 1982 Data

by J. A. Shearer & E. R. DeBruyn

Western Region
Department of Fisheries and Oceans
Winnipeg, Manitoba R3T 2N6

November, 1983

Canadian Data Report of Fisheries & Aquatic Sciences No. 411

Canadian Data Report of Fisheries and Aquatic Sciences

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

The correct citation appears above the abstract of each report.

Rapport statistique canadien des sciences halieutiques et aquatiques

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report of
Fisheries and Aquatic Sciences 411

November, 1983

LIGHT ATTENUATION IN THE EXPERIMENTAL LAKES AREA - 1982 DATA

by

J. A. Shearer
and
E. R. DeBruyn

Western Region
Department of Fisheries and Oceans
Winnipeg, Manitoba R3T 2N6

This is the 58th Data Report
from the Western Region, Winnipeg

© Minister of Supply and Services Canada 1983

Cat. no. FS 97-13/411 ISSN 0706-6465

Correct citation for this publication is:

Shearer, J.A., and E.R. DeBruyn. 1983. Light attenuation in the Experimental Lakes Area - 1982 data. Can. Data Rep. Fish. Aquat. Sci. 411: iv + 63 p.

TABLE OF CONTENTS

	Page
ABSTRACT/RESUME	iv
INTRODUCTION	1
DATA COLLECTION AND ANALYSIS	1
REFERENCES	1

LIST OF APPENDICES

Appendix		Page
1	Data for vertical light attenuation profiles	3
2	Measured irradiances plotted against depth	29

ABSTRACT

Shearer, J.A., and E.R. DeBruyn. 1983. Light attenuation in the Experimental Lakes Area - 1982 data. Can. Data Rep. Fish. Aquat. Sci. 411: iv + 63 p.

Depth profiles of photosynthetically active radiation were measured periodically in nineteen lake basins of the Experimental Lakes Area during the ice-free season of 1982. These data are tabulated and plots of irradiance versus depth are presented. Mean attenuation coefficients have been calculated from the data.

Key words: light penetration, water transparency, limnological data.

RESUME

Shearer, J.A., and E.R. DeBruyn. 1983. Light attenuation in the Experimental Lakes Area - 1982 data. Can. Data Rep. Fish. Aquat. Sci. 411: iv + 63 p.

Nous avons mesuré périodiquement, au cours de la saison sans glace de l'année 1982, les profils de profondeur de la radiation photosynthétique dans dix-neuf bassins des lacs situées dans la Région des Lacs Expérimentaux. Nous avons établi des tables de ces données et nous avons figuré graphiquement les émissions de radiations face à la profondeur. A partir de ces données, nous avons calculé les coefficients moyens d,atténuation.

Mots-clés: pénétration de la lumiére; transparence de l'eau; données limnologiques.

INTRODUCTION

This report presents irradiance versus depth data collected during 1982 for selected basins within the Experimental Lakes Area (ELA), northwestern Ontario (Johnson and Vallentyne 1971). These data were collected in conjunction with phytoplankton productivity studies (DeBruyn et al. 1983). The measured irradiances represent the quantum flux density in the 400-700 nm waveband and can be defined as photosynthetically active radiation (PAR).

The content and format of this report are similar to those found in the eight previous volumes of this annual series (Shearer 1976; Shearer and DeClercq 1976, 1977, 1978, 1979, 1980; Shearer and DeBruyn 1981, 1982). A brief description of methodology is provided and the attenuation data are presented both in tables and graphs.

DATA COLLECTION AND ANALYSIS

The vertical attenuation of PAR was monitored in nineteen lake basins during the ice-free season of 1982. These basins range in surface area from 1.3 to 56 hectares and in maximum depth from 0.8 to 33 meters.

Eight of these basins (114, 223, 226NE, 226SW, 227, 239, 302N, 302S) were surveyed at intervals of approximately two weeks, weather permitting. Most of the remaining basins (222, 224, 303, 304, 305, 382, 382 Bay, 661) were surveyed monthly. Lakes 93, 111 and 629 were surveyed on only a few occasions because of poor accessibility.

The separate basins of lakes 226, 302 and 382 are all maintained by means of reinforced plastic "sea curtains".

Lakes 114, 223, 302N and 302S were all undergoing some scheme of artificial acidification during 1982 (Schindler et al. 1980; Schindler and Turner 1982). Lake 227 was being fertilized with nitrogen and phosphorus (Schindler et al. 1971; Schindler 1975).

All profiling was carried out using a Li-Cor LI-192S cosine-response underwater quantum sensor and LI-185 meter. The sensor was suspended pointing vertically upward and lowered through the water column in this orientation.

Surface readings were taken in air above the surface and corrected for the sensor immersion factor. Care was taken to avoid either shading or reflections from the boat. Underwater readings were taken at 0.5 meter depth (sometimes also at 0.25 m) and then at 1 meter intervals from 1.0 meter depth until the underwater reading had dropped to less than 0.5% of the corrected surface value (or until bottom was reached).

Whenever possible, profiling was done under clear skies or under uniform overcast. When skies were clear, profiles were usually taken at intermediate solar angles (see Combs 1977). Calm conditions were also preferred.

The profiles included in this report are presented in two forms. Appendix 1 lists the measured values of irradiance versus depth. The underwater irradiance values have been converted to percentages of the coincident surface irradiance. Appendix 2 presents plots of these data along with fitted slopes calculated from the data. In both appendices the data are grouped by lake basin and listed chronologically.

REFERENCES

COMBS, W.S., Jr. 1977. The measurement and prediction of irradiances available for photosynthesis by phytoplankton in lakes. Ph.D. Thesis, University of Minnesota, Minneapolis, Mn.

DeBRUYN, E.R., J.A. SHEARER, and D.L. FINDLAY. 1983. Phytoplankton primary production, chlorophyll, biomass and suspended carbon in the Experimental Lakes Area - 1982 data. Can. Data Rep. Fish. Aquat. Sci. (In prep.).

JOHNSON, W.E., and J.R. VALLENTYNE. 1971. Rationale, background and development of experimental lake studies in northwestern Ontario. J. Fish. Res. Board Can. 28: 123-128.

SCHINDLER, D.W. 1975. Whole lake experiments with phosphorus, nitrogen and carbon. Int. Ver. theor. angew. Limnol. Verh. 19: 3221-3231.

SCHINDLER, D.W., F.A.J. ARMSTRONG, S.K. HOLMGREN, and G.J. BRUNSKILL. 1971. Eutrophication of Lake 227, Experimental Lakes Area, northwestern Ontario, by addition of phosphate and nitrate. J. Fish. Res. Board Can. 28: 1763-1782.

SCHINDLER, D.W., and M.A. TURNER. 1982. Biological, chemical and physical responses of lakes to experimental acidification. Water Air Soil Pollut. 18: 259-272.

SCHINDLER, D.W., R. WAGEMANN, R. COOK, T. RUSZCZYNSKI, and J. PROKOPOWICH. 1980. Experimental acidification of Lake 223, Experimental Lakes Area: background data and the first three years of acidification. Can. J. Fish. Aquat. Sci. 37: 342-354.

SHEARER, J.A. 1976. Light extinction measurements in the Experimental Lakes Area - 1974 data. Can. Fish. Mar. Serv. Tech. Rep. 615: 97 p.

SHEARER, J.A., and E.R. DeBRUYN. 1981. Light attenuation in the Experimental Lakes Area - 1982 data. Can. Data Rep. Fish. Aquat. Sci. 259: iv + 50 p.

SHEARER, J.A., and E.R. DeBRUYN. 1982. Light attenuation in the Experimental Lakes Area - 1981 data. Can. Data Rep. Fish. Aquat. Sci. 337: iv + 51 p.

SHEARER, J.A., and D.R. DeCLERCQ. 1976. Light extinction measurements in the Experimental Lakes Area - 1975 data. Can. Fish Mar. Serv. Data Rep. 646: 113 p.

SHEARER, J.A., and D.R. DeCLERCQ. 1977. Light extinction measurements in the Experimental Lakes Area - 1976 data. Can. Fish. Mar. Serv. Data Rep. 33: iv + 103 p.

SHEARER, J.A., and D.R. DeCLERCQ. 1978. Light extinction measurements in the Experimental Lakes Area - 1977 data. Can. Fish. Mar. Serv. Data Rep. 73: iv + 49 p.

SHEARER, J.A., and D.R. DeCLERCQ. 1979. Light extinction measurements in the Experimental Lakes Area - 1978 data. Can. Fish. Mar. Serv. Data Rep. 121: iv + 59 p.

SHEARER, J.A., and D.R. DeCLERCQ. 1980. Light extinction in the Experimental Lakes Area - 1979 data. Can. Data Rep. Fish. Aquat. Sci. 189: iv + 63 p.

APPENDIX 1

This appendix lists the data for vertical light attenuation profiles taken at the ELA during 1982.

All times are local, i.e. Central Daylight Time (CDT).

Each attenuation coeff cient is the negative slope of a linear regression of the natural logarithm of the percent surface irradiance on depth. R**2 (or r^2) is a measure of the goodness of fit of the above regression, wherein 1.00 would represent a perfect fit.

The depths are in meters. Irradiance values are actual, rather than fitted, and are given as percentages of the surface value (corrected for immersion effect).

LAKE 93

DATE: 26 MAY
ATTENUATION COEFFICIENT: .93
TIME: 1155 HOURS
R**2: .9962

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	56.11	1.00	36.01	2.00	17.34	3.00	7.71
4.00	3.10	5.00	1.18	6.00	.44	7.00	.16	8.00	.05

DATE: 8 JUL
ATTENUATION COEFFICIENT: .92
TIME: 1145 HOURS
R**2: .9930

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	58.07	1.00	35.73	2.00	16.53	3.00	7.41
4.00	3.31	5.00	1.07	6.00	.30				

DATE: 17 AUG
ATTENUATION COEFFICIENT: .90
TIME: 1040 HOURS
R**2: .9967

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	57.14	1.00	35.43	2.00	16.00	3.00	7.14
4.00	2.86	5.00	.91						

LAKE 111

DATE: 26 MAY
ATTENUATION COEFFICIENT: .56

TIME: 1015 HOURS
R**2: .9957

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	65.78	1.00	45.07	2.00	21.93	3.00	12.43
4.00	6.82	5.00	3.84	6.00	2.29	7.00	1.32	8.00	.79
9.00	.46	10.00	.29	11.00	.18	12.00	.11		

DATE: 8 JUL
ATTENUATION COEFFICIENT: .65

TIME: 0945 HOURS
R**2: .9947

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	62.62	1.00	42.58	2.00	19.41	3.00	10.02
4.00	4.76	5.00	2.63	6.00	1.38	7.00	.83	8.00	.48
9.00	.28								

DATE: 17 AUG
ATTENUATION COEFFICIENT: .75

TIME: 0935 HOURS
R**2: .9835

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	63.03	1.00	41.80	2.00	19.91	3.00	9.95
4.00	5.57	5.00	3.02	6.00	1.55	7.00	.72	8.00	.31
9.00	.06								

DATE: 29 SEP
ATTENUATION COEFFICIENT: .63

TIME: 0940 HOURS
R**2: .9954

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	66.00	1.00	41.00	2.00	19.40	3.00	9.40
4.00	5.30	5.00	2.96	6.00	1.72	7.00	.94	8.00	.54
9.00	.29	10.00	.17						

LAKE 114

DATE: 4 MAY
ATTENUATION COEFFICIENT: 1.01
TIME: 0825 HOURS
R**2: .9835

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	45.10	1.00	23.65	2.00	8.06	3.00	3.42
4.00	1.66								

DATE: 20 MAY
ATTENUATION COEFFICIENT: .91
TIME: 0945 HOURS
R**2: .9668

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	40.07	1.00	21.29	2.00	8.52	3.00	4.26
4.00	2.24								

DATE: 4 JUN
ATTENUATION COEFFICIENT: .82
TIME: 0840 HOURS
R**2: .9601

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	37.50	1.00	22.13	2.00	10.94	3.00	5.47
4.00	2.99								

DATE: 21 JUN
ATTENUATION COEFFICIENT: .71
TIME: 0930 HOURS
R**2: .9476

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	45.96	1.00	25.64	2.00	13.06	3.00	8.08
4.00	5.03								

DATE: 1 JUL
ATTENUATION COEFFICIENT: .65
TIME: 1540 HOURS
R**2: .9996

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	70.00	1.00	49.00	2.00	26.13	3.00	13.63
4.00	7.19								

DATE: 16 JUL
ATTENUATION COEFFICIENT: .91
TIME: 0955 HOURS
R**2: .9957

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	53.60	1.00	31.00	2.00	13.24	3.00	5.89
4.00	2.39								

DATE: 4 AUG
ATTENUATION COEFFICIENT: .78
TIME: 1020 HOURS
R**2: .9829

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	48.24	1.00	29.48	2.00	14.61	3.00	7.37
4.00	3.75								

DATE: 16 AUG
ATTENUATION COEFFICIENT: .94
TIME: 0825 HOURS
R**2: .9797

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	43.55	1.00	22.11	2.00	9.41	3.00	4.41
4.00	1.98								

DATE: 28 AUG
ATTENUATION COEFFICIENT: .72
TIME: 1125 HOURS
R**2: .9726

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	47.29	1.00	29.64	2.00	15.13	3.00	8.36
4.00	4.73								

LAKE 114

DATE: 13 SEP
ATTENUATION COEFFICIENT: .81
TIME: 0840 HOURS
R**2: .9765

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	48.73	1.00	27.07	2.00	12.32	3.00	6.36
4.00	3.45								

DATE: 27 SEP
ATTENUATION COEFFICIENT: .67
TIME: 0950 HOURS
R**2: .9892

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	60.91	1.00	41.24	2.00	19.84	3.00	11.31
4.00	6.67								

DATE: 11 OCT
ATTENUATION COEFFICIENT: .77
TIME: 0910 HOURS
R**2: .9877

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	55.83	1.00	33.50	2.00	15.45	3.00	7.91
4.00	4.28								

DATE: 26 OCT
ATTENUATION COEFFICIENT: .71
TIME: 0920 HOURS
R**2: .9882

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.96	1.00	40.81	2.00	18.89	3.00	10.35
4.00	6.13								

LAKE 222

DATE: 13 MAY
ATTENUATION COEFFICIENT: 1.45
TIME: 1645 HOURS
R**2: .9944

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	32.89	1.00	15.04	2.00	3.64	3.00	1.10
4.00	.24								

DATE: 15 JUN
ATTENUATION COEFFICIENT: 1.24
TIME: 0920 HOURS
R**2: .9973

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	40.32	1.00	21.09	2.00	5.83	3.00	1.92
4.00	.61	5.00	.16						

DATE: 12 JUL
ATTENUATION COEFFICIENT: 1.35
TIME: 0855 HOURS
R**2: .9968

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	40.85	1.00	17.49	2.00	4.82	3.00	1.31
4.00	.43	5.00	.09						

DATE: 6 AUG
ATTENUATION COEFFICIENT: 1.58
TIME: 1600 HOURS
R**2: .9511

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	41.66	1.00	18.58	2.00	5.41	3.00	1.80
4.00	.53	5.00	.01						

DATE: 3 SEP
ATTENUATION COEFFICIENT: 1.62
TIME: 1015 HOURS
R**2: .9711

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	39.28	1.00	18.48	2.00	4.85	3.00	1.33
4.00	.36	5.00	.01						

DATE: 12 OCT
ATTENUATION COEFFICIENT: 1.80
TIME: 1025 HOURS
R**2: .9931

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	26.29	1.00	10.09	2.00	2.17	3.00	.47
4.00	.05								

LAKE 223

DATE: 5 MAY
ATTENUATION COEFFICIENT: .47
TIME: 0845 HOURS
R**2: .9967

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	68.43	1.00	52.74	2.00	31.36	3.00	19.67
4.00	13.11	5.00	8.41	6.00	5.36	7.00	3.54	8.00	2.31
9.00	1.40	10.00	.86	11.00	.50	12.00	.23		

DATE: 20 MAY
ATTENUATION COEFFICIENT: .45
TIME: 1105 HOURS
R**2: .9938

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	78.55	1.00	58.91	2.00	39.28	3.00	26.92
4.00	17.33	5.00	11.21	6.00	7.39	7.00	4.97	8.00	3.35
9.00	2.29	10.00	1.37	11.00	.88	12.00	.44	13.00	.20

DATE: 4 JUN
ATTENUATION COEFFICIENT: .45
TIME: 1130 HOURS
R**2: .9692

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	82.60	1.00	68.84	2.00	48.18	3.00	34.42
4.00	24.78	5.00	18.17	6.00	12.30	7.00	8.26	8.00	5.23
9.00	3.17	10.00	1.92	11.00	1.08	12.00	.45	13.00	.16

DATE: 25 JUN
ATTENUATION COEFFICIENT: .40
TIME: 1025 HOURS
R**2: .9228

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	86.19	1.00	74.38	2.00	59.03	3.00	44.86
4.00	34.24	5.00	28.33	6.00	19.24	7.00	14.64	8.00	10.51
9.00	7.20	10.00	4.60	11.00	2.01	12.00	.63	13.00	.26

DATE: 14 JUL
ATTENUATION COEFFICIENT: .50
TIME: 0835 HOURS
R**2: .8788

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	70.75	1.00	54.67	2.00	40.02	3.00	31.80
4.00	22.87	5.00	16.26	6.00	10.72	7.00	7.50	8.00	5.04
9.00	3.32	10.00	2.07	11.00	.92	12.00	.44	13.00	.02

DATE: 28 JUL
ATTENUATION COEFFICIENT: .56
TIME: 0945 HOURS
R**2: .9299

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	73.70	1.00	62.31	2.00	47.57	3.00	34.04
4.00	24.66	5.00	18.36	6.00	11.93	7.00	6.50	8.00	4.33
9.00	2.41	10.00	1.23	11.00	.27	12.00	.09	13.00	.03

DATE: 10 AUG
ATTENUATION COEFFICIENT: .63
TIME: 0845 HOURS
R**2: .9644

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	80.40	1.00	56.95	2.00	32.83	3.00	22.33
4.00	14.52	5.00	9.38	6.00	6.25	7.00	3.51	8.00	1.62
9.00	.85	10.00	.23	11.00	.09	12.00	.03		

DATE: 24 AUG
ATTENUATION COEFFICIENT: .73
TIME: 0925 HOURS
R**2: .7812

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	62.63	1.00	43.70	2.00	28.55	3.00	20.68
4.00	14.42	5.00	9.23	6.00	6.23	7.00	2.88	8.00	1.40
9.00	.55	10.00	.00						

LAKE 223

DATE: 3 SEP
ATTENUATION COEFFICIENT: .60
TIME: 0945 HOURS
R**2: .9883

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	67.00	1.00	50.92	2.00	28.14	3.00	15.01
4.00	8.71	5.00	5.03	6.00	3.15	7.00	1.96	8.00	1.26
9.00	.56	10.00	.21	11.00	.08				

DATE: 15 SEP
ATTENUATION COEFFICIENT: .61
TIME: 1700 HOURS
R**2: .9787

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	63.28	1.00	52.11	2.00	29.22	3.00	16.94
4.00	9.68	5.00	5.58	6.00	3.37	7.00	2.03	8.00	1.23
9.00	.66	10.00	.20	11.00	.05				

DATE: 29 SEP
ATTENUATION COEFFICIENT: .70
TIME: 1415 HOURS
R**2: .9518

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	63.98	1.00	38.03	2.00	21.73	3.00	11.71
4.00	6.04	5.00	3.50	6.00	1.96	7.00	1.11	8.00	.65
9.00	.37	10.00	.21	11.00	.06	12.00	.00		

DATE: 12 OCT
ATTENUATION COEFFICIENT: .70
TIME: 0905 HOURS
R**2: .9962

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	55.28	1.00	33.50	2.00	16.58	3.00	9.05
4.00	4.91	5.00	2.60	6.00	1.36	7.00	.69	8.00	.31
9.00	.13								

DATE: 25 OCT
ATTENUATION COEFFICIENT: .66
TIME: 1505 HOURS
R**2: .9954

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	63.95	1.00	40.61	2.00	18.48	3.00	9.03
4.00	4.67	5.00	2.38	6.00	1.28	7.00	.70	8.00	.39
9.00	.22	10.00	.13						

LAKE 224

DATE: 13 MAY
ATTENUATION COEFFICIENT: .27
TIME: 1405 HOURS
R**2: .9966

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	68.91	1.00	55.51	2.00	43.26	3.00	36.75
4.00	30.63	5.00	24.69	6.00	19.33	7.00	15.12	8.00	11.56
9.00	8.61	10.00	6.36	11.00	4.71	12.00	3.52	13.00	2.60
14.00	1.97	15.00	1.49	16.00	1.10	17.00	.84	18.00	.65
19.00	.48								

DATE: 27 MAY
ATTENUATION COEFFICIENT: .27
TIME: 1115 HOURS
R**2: .9974

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	85.04	1.00	72.15	2.00	56.69	3.00	43.81
4.00	34.02	5.00	27.62	6.00	21.13	7.00	17.21	8.00	13.30
9.00	10.20	10.00	7.73	11.00	5.88	12.00	4.23	13.00	3.04
14.00	2.24	15.00	1.63	16.00	1.21	17.00	.91	18.00	.69
19.00	.54								

DATE: 25 JUN
ATTENUATION COEFFICIENT: .27
TIME: 1000 HOURS
R**2: .9973

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	93.06	1.00	74.44	2.00	55.83	3.00	43.43
4.00	35.11	5.00	27.79	6.00	21.59	7.00	16.75	8.00	12.90
9.00	10.30	10.00	7.94	11.00	6.08	12.00	4.59	13.00	3.57
14.00	2.63	15.00	1.95	16.00	1.38	17.00	1.01	18.00	.73
19.00	.54								

DATE: 21 JUL
ATTENUATION COEFFICIENT: .28
TIME: 1625 HOURS
R**2: .9988

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	82.55	1.00	67.85	2.00	50.89	3.00	36.75
4.00	29.17	5.00	22.16	6.00	17.19	7.00	12.89	8.00	10.29
9.00	7.63	10.00	5.99	11.00	4.60	12.00	3.60	13.00	2.74
14.00	2.07	15.00	1.52	16.00	1.12	17.00	.83	18.00	.61
19.00	.42								

DATE: 10 AUG
ATTENUATION COEFFICIENT: .30
TIME: 0935 HOURS
R**2: .9980

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	81.84	1.00	65.80	2.00	52.16	3.00	37.71
4.00	29.69	5.00	22.95	6.00	16.69	7.00	12.84	8.00	9.55
9.00	7.29	10.00	5.41	11.00	4.35	12.00	3.24	13.00	2.34
14.00	1.64	15.00	1.17	16.00	.85	17.00	.59	18.00	.43
19.00	.30								

DATE: 3 SEP
ATTENUATION COEFFICIENT: .31
TIME: 0920 HOURS
R**2: .9954

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.54	1.00	56.50	2.00	42.01	3.00	32.59
4.00	22.45	5.00	17.38	6.00	13.47	7.00	11.01	8.00	8.84
9.00	6.52	10.00	4.71	11.00	3.55	12.00	2.67	13.00	1.85
14.00	1.31	15.00	.90	16.00	.62	17.00	.43	18.00	.30
19.00	.21								

DATE: 12 OCT
ATTENUATION COEFFICIENT: .27
TIME: 0945 HOURS
R**2: .9853

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.51	1.00	51.93	2.00	40.20	3.00	33.67
4.00	27.30	5.00	21.61	6.00	17.09	7.00	13.40	8.00	10.72
9.00	8.38	10.00	6.62	11.00	5.21	12.00	4.10	13.00	3.22
14.00	2.50	15.00	1.76	16.00	1.17	17.00	.79	18.00	.50
19.00	.28								

LAKE 226 NE

DATE: 6 MAY
ATTENUATION COEFFICIENT: .65
TIME: 1020 HOURS
R**2: .9975

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	62.98	1.00	40.20	2.00	21.31	3.00	10.45
4.00	5.23	5.00	2.69	6.00	1.49	7.00	.85	8.00	.47
9.00	.26	10.00	.13						

DATE: 28 MAY
ATTENUATION COEFFICIENT: .70
TIME: 1145 HOURS
R**2: .9996

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	67.00	1.00	42.59	2.00	23.45	3.00	11.87
4.00	5.84	5.00	2.78	6.00	1.48	7.00	.69	8.00	.34
9.00	.18								

DATE: 25 JUN
ATTENUATION COEFFICIENT: .71
TIME: 1130 HOURS
R**2: .9984

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	68.91	1.00	48.81	2.00	26.80	3.00	14.26
4.00	6.99	5.00	3.52	6.00	1.64	7.00	.75	8.00	.33
9.00	.17								

DATE: 21 JUL
ATTENUATION COEFFICIENT: .77
TIME: 1545 HOURS
R**2: .9993

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	62.25	1.00	42.20	2.00	20.89	3.00	10.23
4.00	4.71	5.00	2.24	6.00	1.03	7.00	.44	8.00	.18
9.00	.10								

DATE: 26 AUG
ATTENUATION COEFFICIENT: .73
TIME: 1050 HOURS
R**2: .9860

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	57.43	1.00	35.99	2.00	19.40	3.00	10.97
4.00	6.38	5.00	3.47	6.00	1.76	7.00	.74	8.00	.24
9.00	.08								

DATE: 21 SEP
ATTENUATION COEFFICIENT: .75
TIME: 1105 HOURS
R**2: .9881

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	64.52	1.00	45.29	2.00	22.21	3.00	11.66
4.00	6.15	5.00	3.40	6.00	1.80	7.00	.75	8.00	.24
9.00	.08								

DATE: 25 OCT
ATTENUATION COEFFICIENT: .85
TIME: 1425 HOURS
R**2: .9937

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	48.10	1.00	27.49	2.00	10.48	3.00	4.29
4.00	1.89	5.00	.84	6.00	.40	7.00	.19	8.00	.09

LAKE 226 SW

DATE: 6 MAY
ATTENUATION COEFFICIENT: .68
TIME: 1000 HOURS
R**2: .9981

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	62.26	1.00	43.31	2.00	21.39	3.00	10.42
4.00	5.48	5.00	3.02	6.00	1.65	7.00	.90	8.00	.43
9.00	.20	10.00	.08						

DATE: 28 MAY
ATTENUATION COEFFICIENT: .66
TIME: 1120 HOURS
R**2: .9975

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.48	1.00	44.67	2.00	24.32	3.00	12.90
4.00	6.85	5.00	3.67	6.00	2.18	7.00	1.14	8.00	.56
9.00	.23	10.00	.11						

DATE: 25 JUN
ATTENUATION COEFFICIENT: .71
TIME: 1120 HOURS
R**2: .9982

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.80	1.00	48.40	2.00	25.17	3.00	12.94
4.00	6.57	5.00	3.33	6.00	1.67	7.00	.83	8.00	.34
9.00	.15								

DATE: 21 JUL
ATTENUATION COEFFICIENT: .74
TIME: 1500 HOURS
R**2: .9979

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	62.60	1.00	42.06	2.00	20.05	3.00	9.59
4.00	4.40	5.00	2.36	6.00	1.21	7.00	.63	8.00	.27
9.00	.10								

DATE: 26 AUG
ATTENUATION COEFFICIENT: .74
TIME: 1105 HOURS
R**2: .9739

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	55.48	1.00	36.18	2.00	18.22	3.00	10.45
4.00	6.16	5.00	3.51	6.00	1.82	7.00	.80	8.00	.29
9.00	.05								

DATE: 21 SEP
ATTENUATION COEFFICIENT: .77
TIME: 1055 HOURS
R**2: .9756

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	64.47	1.00	45.51	2.00	22.75	3.00	12.26
4.00	6.64	5.00	3.64	6.00	1.98	7.00	.72	8.00	.25
9.00	.05								

DATE: 25 OCT
ATTENUATION COEFFICIENT: .85
TIME: 1415 HOURS
R**2: .9952

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	49.33	1.00	30.42	2.00	10.85	3.00	4.60
4.00	2.06	5.00	.92	6.00	.42	7.00	.20	8.00	.09

LAKE 227

DATE: 5 MAY
ATTENUATION COEFFICIENT: 1.28
TIME: 0950 HOURS
R**2: .9963

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	41.78	1.00	20.17	2.00	5.04	3.00	1.58
4.00	.48	5.00	.15						

DATE: 17 MAY
ATTENUATION COEFFICIENT: 1.28
TIME: 1105 HOURS
R**2: .9897

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	35.67	1.00	15.42	2.00	4.05	3.00	1.21
4.00	.41	5.00	.14						

DATE: 4 JUN
ATTENUATION COEFFICIENT: 1.59
TIME: 1050 HOURS
R**2: .9938

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	39.88	1.00	19.67	2.00	4.47	3.00	.55
4.00	.13	5.00	.05						

DATE: 15 JUN
ATTENUATION COEFFICIENT: 1.42
TIME: 1040 HOURS
R**2: .9873

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	51.97	1.00	28.84	2.00	9.27	3.00	2.10
4.00	.28								

DATE: 29 JUN
ATTENUATION COEFFICIENT: 1.47
TIME: 0955 HOURS
R**2: .9937

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	49.76	1.00	25.44	2.00	7.86	3.00	2.01
4.00	.26	5.00	.07						

DATE: 12 JUL
ATTENUATION COEFFICIENT: 1.65
TIME: 0955 HOURS
R**2: .9916

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	32.21	1.00	11.34	2.00	1.97	3.00	.59
4.00	.11								

DATE: 21 JUL
ATTENUATION COEFFICIENT: 1.97
TIME: 1150 HOURS
R**2: .9584

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	20.15	1.00	4.35	2.00	.41	3.00	.10
4.00	.04								

DATE: 6 AUG
ATTENUATION COEFFICIENT: 2.18
TIME: 1445 HOURS
R**2: .9249

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	22.65	.50	8.49	1.00	1.05	2.00	.11
3.00	.04	4.00	.01						

DATE: 22 AUG
ATTENUATION COEFFICIENT: 2.76
TIME: 1135 HOURS
R**2: .9279

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	28.79	.50	10.78	1.00	1.57	1.50	.25
2.00	.08	3.00	.03						

LAKE 227

DATE: 3 SEP
ATTENUATION COEFFICIENT: 3.08
TIME: 1110 HOURS
R**2: .9966

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	34.49	.50	14.48	1.00	2.96	1.50	.58
2.00	.15	3.00	.01						

DATE: 15 SEP
ATTENUATION COEFFICIENT: 3.10
TIME: 1610 HOURS
R**2: .9971

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	27.22	.50	13.26	1.00	2.88	2.00	.15
3.00	.01								

DATE: 28 SEP
ATTENUATION COEFFICIENT: 1.80
TIME: 1050 HOURS
R**2: .9963

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	46.61	.50	31.07	1.00	11.65	2.00	2.16
3.00	.39								

DATE: 13 OCT
ATTENUATION COEFFICIENT: 1.69
TIME: 0840 HOURS
R**2: .9971

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	34.04	1.00	13.13	2.00	2.79	3.00	.63
4.00	.09								

DATE: 25 OCT
ATTENUATION COEFFICIENT: 1.84
TIME: 1105 HOURS
R**2: .9944

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	26.26	1.00	8.87	2.00	1.61	3.00	.27
4.00	.05								

LAKE 239

DATE: 5 MAY TIME: 0915 HOURS
ATTENUATION COEFFICIENT: .58 R**2: .9891

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	56.35	1.00	32.94	2.00	17.64	3.00	9.63
4.00	5.22	5.00	2.88	6.00	1.77	7.00	.99	8.00	.67
9.00	.41	10.00	.25						

DATE: 12 MAY TIME: 1055 HOURS
ATTENUATION COEFFICIENT: .59 R**2: .9965

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SUFF.
0.00	100.00	.50	61.20	1.00	41.15	2.00	21.95	3.00	11.92
4.00	6.28	5.00	3.53	6.00	1.99	7.00	1.14	8.00	.65
9.00	.41	10.00	.24						

DATE: 31 MAY TIME: 0950 HOURS
ATTENUATION COEFFICIENT: .59 R**2: .9939

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SUFF.
0.00	100.00	.50	54.46	1.00	34.99	2.00	19.14	3.00	11.35
4.00	6.34	5.00	3.53	6.00	1.98	7.00	1.14	8.00	.69
9.00	.43								

DATE: 15 JUN TIME: 1130 HOURS
ATTENUATION COEFFICIENT: .60 R**2: .9987

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SUFF.
0.00	100.00	.50	68.85	1.00	44.36	2.00	26.34	3.00	14.51
4.00	7.76	5.00	4.25	6.00	2.36	7.00	1.30	8.00	.67
9.00	.42	10.00	.25						

DATE: 29 JUN TIME: 1600 HOURS
ATTENUATION COEFFICIENT: .61 R**2: .9993

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SUFF.
0.00	100.00	.50	66.46	1.00	47.17	2.00	25.73	3.00	14.26
4.00	7.72	5.00	4.23	6.00	2.40	7.00	1.30	8.00	.64
9.00	.37	10.00	.23						

DATE: 12 JUL TIME: 0915 HOURS
ATTENUATION COEFFICIENT: .74 R**2: .9987

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SUFF.
0.00	100.00	.50	58.55	1.00	36.91	2.00	18.58	3.00	7.99
4.00	3.84	5.00	1.93	6.00	.93	7.00	.45	8.00	.23
9.00	.12	10.00	.05						

DATE: 27 JUL TIME: 0910 HOURS
ATTENUATION COEFFICIENT: .67 R**2: .9934

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	60.30	1.00	38.86	2.00	17.42	3.00	8.58
4.00	4.42	5.00	2.41	6.00	1.26	7.00	.58	8.00	.32
9.00	.21	10.00	.14						

DATE: 10 AUG TIME: 1110 HOURS
ATTENUATION COEFFICIENT: .63 R**2: .9968

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SUFF.
0.00	100.00	.50	63.81	1.00	40.41	2.00	21.27	3.00	11.17
4.00	5.74	5.00	3.19	6.00	1.71	7.00	.90	8.00	.50
9.00	.30	10.00	.19						

LAKE 239

DATE: 16 AUG
ATTENUATION COEFFICIENT: .69

TIME: 1630 HOURS
R**2: .9976

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	56.01	1.00	38.19	2.00	17.82	3.00	8.40
4.00	4.28	5.00	2.34	6.00	1.20	7.00	.60	8.00	.33
9.00	.17	10.00	.09						

DATE: 23 AUG
ATTENUATION COEFFICIENT: .78

TIME: 0910 HOURS
R**2: .9951

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	68.00	1.00	40.00	2.00	20.00	3.00	10.00
4.00	4.72	5.00	2.32	6.00	1.16	7.00	.51	8.00	.21
9.00	.06								

DATE: 6 SEP
ATTENUATION COEFFICIENT: .64

TIME: 0935 HOURS
R**2: .9985

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	60.52	1.00	41.30	2.00	21.13	3.00	12.10
4.00	6.34	5.00	3.41	6.00	1.92	7.00	1.01	8.00	.50
9.00	.24								

DATE: 20 SEP
ATTENUATION COEFFICIENT: .63

TIME: 0945 HOURS
R**2: .9939

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	66.16	1.00	42.71	2.00	19.10	3.00	10.64
4.00	5.53	5.00	2.91	6.00	1.64	7.00	.99	8.00	.60
9.00	.34								

DATE: 11 OCT
ATTENUATION COEFFICIENT: .66

TIME: 1115 HOURS
R**2: .9963

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	56.00	1.00	35.00	2.00	17.00	3.00	9.40
4.00	5.10	5.00	2.95	6.00	1.54	7.00	.82	8.00	.42
9.00	.20								

DATE: 26 OCT
ATTENUATION COEFFICIENT: .67

TIME: 1000 HOURS
R**2: .9907

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	52.37	1.00	30.80	2.00	14.48	3.00	7.39
4.00	3.70	5.00	1.94	6.00	1.03	7.00	.58	8.00	.34
9.00	.20								

LAKE 302 N

DATE: 4 MAY
ATTENUATION COEFFICIENT: .63
TIME: 0915 HOURS
R**2: .9934

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	57.50	1.00	38.01	2.00	19.98	3.00	11.60
4.00	7.07	5.00	4.14	6.00	2.29	7.00	1.27	8.00	.60
9.00	.27	10.00	.11						

DATE: 12 MAY
ATTENUATION COEFFICIENT: .72
TIME: 0820 HOURS
R**2: .9972

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	67.00	1.00	39.75	2.00	16.97	3.00	8.22
4.00	4.27	5.00	2.19	6.00	1.15	7.00	.61	8.00	.31
9.00	.14	10.00	.05						

DATE: 12 MAY
ATTENUATION COEFFICIENT: .71
TIME: 0850 HOURS
R**2: .9975

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	72.22	1.00	42.98	2.00	18.97	3.00	8.88
4.00	4.37	5.00	2.26	6.00	1.21	7.00	.65	8.00	.33
9.00	.15								

DATE: 20 MAY
ATTENUATION COEFFICIENT: .74
TIME: 1020 HOURS
R**2: .9963

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.10	1.00	48.07	2.00	21.63	3.00	11.18
4.00	5.59	5.00	2.82	6.00	1.43	7.00	.75	8.00	.34
9.00	.13	10.00	.05						

DATE: 4 JUN
ATTENUATION COEFFICIENT: .70
TIME: 0915 HOURS
R**2: .9964

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	67.68	1.00	47.37	2.00	24.36	3.00	13.54
4.00	7.58	5.00	3.72	6.00	1.81	7.00	.77	8.00	.35
9.00	.15								

DATE: 22 JUN
ATTENUATION COEFFICIENT: .72
TIME: 0830 HOURS
R**2: .9900

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	66.09	1.00	46.54	2.00	23.54	3.00	12.91
4.00	6.86	5.00	3.73	6.00	1.90	7.00	.85	8.00	.34
9.00	.10								

DATE: 1 JUL
ATTENUATION COEFFICIENT: .71
TIME: 1500 HOURS
R**2: .9770

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	67.91	1.00	45.97	2.00	28.84	3.00	16.42
4.00	9.53	5.00	5.18	6.00	2.72	7.00	1.18	8.00	.47
9.00	.19	10.00	.04						

DATE: 16 JUL
ATTENUATION COEFFICIENT: .76
TIME: 0930 HOURS
R**2: .9681

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	55.39	1.00	36.33	2.00	19.06	3.00	11.20
4.00	5.78	5.00	3.04	6.00	1.55	7.00	.76	8.00	.29
9.00	.04								

LAKE 302 N

DATE: 4 AUG TIME: 0945 HOURS
ATTENUATION COEFFICIENT: .80 R**2: .9949

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	63.47	1.00	42.32	2.00	19.04	3.00	10.01
4.00	4.80	5.00	2.03	6.00	.96	7.00	.48	8.00	.18
9.00	.05								

DATE: 16 AUG TIME: 0915 HOURS
ATTENUATION COEFFICIENT: .81 R**2: .9848

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	75.59	1.00	53.26	2.00	26.11	3.00	13.06
4.00	6.70	5.00	3.35	6.00	1.37	7.00	.60	8.00	.19
9.00	.04								

DATE: 28 AUG TIME: 1105 HOURS
ATTENUATION COEFFICIENT: .72 R**2: .9664

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	65.53	1.00	48.91	2.00	27.39	3.00	14.48
4.00	9.49	5.00	5.48	6.00	2.66	7.00	1.10	8.00	.33
9.00	.07								

DATE: 13 SEP TIME: 0920 HOURS
ATTENUATION COEFFICIENT: .75 R**2: .9806

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	68.51	1.00	48.36	2.00	20.96	3.00	11.69
4.00	6.65	5.00	3.81	6.00	1.91	7.00	.77	8.00	.28
9.00	.06								

DATE: 27 SEP TIME: 0850 HOURS
ATTENUATION COEFFICIENT: .72 R**2: .9899

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	54.82	1.00	32.08	2.00	15.02	3.00	8.18
4.00	4.55	5.00	2.48	6.00	1.32	7.00	.65	8.00	.18

DATE: 11 OCT TIME: 0945 HOURS
ATTENUATION COEFFICIENT: .85 R**2: .9939

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	49.63	1.00	27.63	2.00	11.75	3.00	5.46
4.00	2.71	5.00	1.29	6.00	.60	7.00	.23	8.00	.07

DATE: 25 OCT TIME: 1625 HOURS
ATTENUATION COEFFICIENT: .87 R**2: .9909

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	57.95	1.00	26.08	2.00	9.96	3.00	3.88
4.00	1.70	5.00	.80	6.00	.38	7.00	.18	8.00	.09

LAKE 302 S

DATE: 4 MAY TIME: 0940 HOURS
ATTENUATION COEFFICIENT: .58 R**2: .9449

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	68.06	1.00	48.07	2.00	28.93	3.00	18.63
4.00	11.74	5.00	7.61	6.00	4.72	7.00	2.85	8.00	.40

DATE: 12 MAY TIME: 0835 HOURS
ATTENUATION COEFFICIENT: .58 R**2: .9982

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	67.00	1.00	50.76	2.00	27.41	3.00	16.24
4.00	9.85	5.00	5.85	6.00	2.96	7.00	1.58	8.00	.82

DATE: 20 MAY TIME: 1010 HOURS
ATTENUATION COEFFICIENT: .57 R**2: .9993

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	76.75	1.00	53.60	2.00	29.85	3.00	16.64
4.00	10.60	5.00	5.97	6.00	3.47	7.00	1.91	8.00	1.01

DATE: 4 JUN TIME: 0930 HOURS
ATTENUATION COEFFICIENT: .60 R**2: .9954

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	76.57	1.00	54.88	2.00	32.54	3.00	19.40
4.00	11.23	5.00	6.13	6.00	3.23	7.00	1.61	8.00	.71

DATE: 22 JUN TIME: 0810 HOURS
ATTENUATION COEFFICIENT: .63 R**2: .9848

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	66.41	1.00	50.25	2.00	28.18	3.00	18.33
4.00	11.13	5.00	6.23	6.00	3.41	7.00	1.45	8.00	.68
9.00	.22								

DATE: 1 JUL TIME: 1515 HOURS
ATTENUATION COEFFICIENT: .67 R**2: .9329

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	77.78	1.00	57.76	2.00	36.67	3.00	25.76
4.00	16.22	5.00	10.67	6.00	6.09	7.00	1.80	8.00	.59
9.00	.12								

DATE: 16 JUL TIME: 0940 HOURS
ATTENUATION COEFFICIENT: .67 R**2: .9428

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	63.59	1.00	45.42	2.00	28.16	3.00	19.53
4.00	13.40	5.00	8.45	6.00	4.59	7.00	1.45	8.00	.41
9.00	.11								

DATE: 4 AUG TIME: 0955 HOURS
ATTENUATION COEFFICIENT: .81 R**2: .9058

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	77.05	1.00	59.63	2.00	30.82	3.00	22.91
4.00	14.74	5.00	8.51	6.00	4.56	7.00	1.93	8.00	.59
9.00	.04	10.00	.01						

DATE: 16 AUG TIME: 0905 HOURS
ATTENUATION COEFFICIENT: .82 R**2: .8859

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	74.05	1.00	54.66	2.00	32.27	3.00	18.69
4.00	11.46	5.00	7.14	6.00	3.49	7.00	1.29	8.00	.33
9.00	.01								

LAKE 302 S

DATE: 27 AUG
ATTENUATION COEFFICIENT: .81
TIME: 0915 HOURS
R**2: .8372

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	71.72	1.00	53.79	2.00	31.14	3.00	18.87
4.00	11.14	5.00	6.98	6.00	4.53	7.00	1.74	8.00	.52
9.00	.01								

DATE: 26 AUG
ATTENUATION COEFFICIENT: .77
TIME: 1055 HOURS
R**2: .8390

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	80.79	1.00	57.15	2.00	33.99	3.00	20.69
4.00	13.01	5.00	8.38	6.00	5.32	7.00	2.34	8.00	.65
9.00	.01								

DATE: 13 SEP
ATTENUATION COEFFICIENT: .60
TIME: 1000 HOURS
R**2: .9510

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	65.37	1.00	47.06	2.00	28.92	3.00	18.96
4.00	12.09	5.00	8.01	6.00	4.67	7.00	2.50	8.00	.93
8.50	.25								

DATE: 27 SEP
ATTENUATION COEFFICIENT: .50
TIME: 0910 HOURS
R**2: .9931

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	58.18	1.00	40.55	2.00	23.63	3.00	15.52
4.00	10.14	5.00	6.38	6.00	4.09	7.00	2.50	8.00	1.50
9.00	.72								

DATE: 11 OCT
ATTENUATION COEFFICIENT: .53
TIME: 1000 HOURS
R**2: .9935

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	61.66	1.00	35.35	2.00	20.72	3.00	12.50
4.00	7.65	5.00	4.77	6.00	2.96	7.00	1.81	8.00	1.10
9.00	.64	10.00	.36						

DATE: 25 OCT
ATTENUATION COEFFICIENT: .57
TIME: 1615 HOURS
R**2: .9935

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	72.43	1.00	45.99	2.00	22.09	3.00	12.31
4.00	7.10	5.00	4.16	6.00	2.50	7.00	1.52	8.00	.94
9.00	.56								

LAKE 303

DATE: 20 MAY
ATTENUATION COEFFICIENT: .79
TIME: 0850 HOURS
R**2: .9954

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	77.01	.50	64.69	1.00	40.82	2.00	20.33

DATE: 29 JUN
ATTENUATION COEFFICIENT: .63
TIME: 1455 HOURS
R**2: .9999

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	72.43	1.00	52.97	2.00	28.52		

DATE: 20 JUL
ATTENUATION COEFFICIENT: .95
TIME: 0845 HOURS
R**2: .9877

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	51.48	1.00	33.17	2.00	14.38		

DATE: 11 AUG
ATTENUATION COEFFICIENT: .99
TIME: 1655 HOURS
R**2: .9856

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	50.43	1.00	26.94	2.00	11.96	2.50	7.52

DATE: 13 SEP
ATTENUATION COEFFICIENT: 1.08
TIME: 1130 HOURS
R**2: .9872

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	48.17	1.00	27.48	2.00	11.03		

DATE: 13 OCT
ATTENUATION COEFFICIENT: 1.12
TIME: 1040 HOURS
R**2: .9826

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	59.96	.50	44.52	1.00	24.98	2.00	9.77

LAKE 304

DATE: 20 MAY
ATTENUATION COEFFICIENT: 1.29
TIME: 0915 HOURS
R**2: .9971

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	48.10	1.00	26.11	2.00	8.25	3.00	2.58
4.00	.60	5.00	.13						

DATE: 22 JUN
ATTENUATION COEFFICIENT: 1.36
TIME: 0925 HOURS
R**2: .9948

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	55.95	1.00	31.77	2.00	12.57	3.00	4.42
4.00	1.20	5.00	.05						

DATE: 20 JUL
ATTENUATION COEFFICIENT: 1.92
TIME: 0920 HOURS
R**2: .8794

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	47.16	1.00	26.20	2.00	9.43	3.00	2.62
4.00	.43	5.00	.00						

DATE: 11 AUG
ATTENUATION COEFFICIENT: 1.56
TIME: 1630 HOURS
R**2: .8401

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	47.41	1.00	27.18	2.00	9.86	3.00	3.60
3.50	1.90	4.00	.04						

DATE: 13 SEP
ATTENUATION COEFFICIENT: 1.43
TIME: 1110 HOURS
R**2: .9947

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	37.22	1.00	19.36	2.00	7.69	3.00	1.18
4.00	.33	5.00	.06						

DATE: 13 OCT
ATTENUATION COEFFICIENT: 1.34
TIME: 1010 HOURS
R**2: .9886

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	35.31	1.00	14.68	2.00	4.04	3.00	1.32
4.00	.40								

LAKE 305

DATE: 27 MAY — TIME: 0910 HOURS
ATTENUATION COEFFICIENT: .34 — R**2: .9967

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	75.28	1.00	63.24	2.00	41.40	3.00	27.85
4.00	18.97	5.00	13.40	6.00	9.56	7.00	6.55	8.00	4.71
9.00	3.39	10.00	2.39	11.00	1.72	12.00	1.26	13.00	.93
14.00	.69	15.00	.53	16.00	.40				

DATE: 25 JUN — TIME: 0835 HOURS
ATTENUATION COEFFICIENT: .34 — R**2: .9970

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.16	1.00	56.19	2.00	39.77	3.00	27.15
4.00	17.98	5.00	12.71	6.00	9.25	7.00	6.48	8.00	4.63
9.00	3.41	10.00	2.40	11.00	1.73	12.00	1.28	13.00	.94
14.00	.68	15.00	.52	16.00	.39				

DATE: 21 JUL — TIME: 1005 HOURS
ATTENUATION COEFFICIENT: .35 — R**2: .9905

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	75.74	1.00	61.76	2.00	37.87	3.00	24.70
4.00	16.31	5.00	11.19	6.00	7.63	7.00	5.19	8.00	3.71
9.00	2.69	10.00	2.03	11.00	1.44	12.00	1.12	13.00	.85
14.00	.65	15.00	.49	16.00	.38				

DATE: 22 AUG — TIME: 1105 HOURS
ATTENUATION COEFFICIENT: .35 — R**2: .9923

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	84.98	1.00	65.37	2.00	39.22	3.00	27.78
4.00	19.61	5.00	13.62	6.00	9.59	7.00	6.43	8.00	4.25
9.00	2.96	10.00	2.11	11.00	1.55	12.00	1.18	13.00	.92
14.00	.71	15.00	.57	16.00	.44				

DATE: 15 SEP — TIME: 1500 HOURS
ATTENUATION COEFFICIENT: .36 — R**2: .9952

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	81.05	1.00	64.84	2.00	41.06	3.00	27.56
4.00	18.37	5.00	12.64	6.00	8.86	7.00	6.21	8.00	4.54
9.00	3.13	10.00	1.98	11.00	1.42	12.00	1.05	13.00	.78
14.00	.61	15.00	.47	16.00	.36				

DATE: 25 OCT — TIME: 1105 HOURS
ATTENUATION COEFFICIENT: .38 — R**2: .9941

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.31	1.00	53.14	2.00	32.81	3.00	21.26
4.00	14.32	5.00	9.47	6.00	6.58	7.00	4.55	8.00	3.10
9.00	2.19	10.00	1.57	11.00	1.13	12.00	.79	13.00	.58
14.00	.43	15.00	.32						

LAKE 382

DATE: 27 MAY
ATTENUATION COEFFICIENT: .67
TIME: 1000 HOURS
R**2: .9994

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	66.35	1.00	46.83	2.00	22.77	3.00	11.56
4.00	5.72	5.00	2.93	6.00	1.48	7.00	.80	8.00	.42
9.00	.23	10.00	.11						

DATE: 25 JUN
ATTENUATION COEFFICIENT: .65
TIME: 0910 HOURS
R**2: .9992

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	67.00	1.00	44.16	2.00	22.08	3.00	11.57
4.00	6.40	5.00	3.38	6.00	1.72	7.00	.92	8.00	.48
9.00	.25								

DATE: 21 JUL
ATTENUATION COEFFICIENT: .62
TIME: 1055 HOURS
R**2: .9991

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	70.24	1.00	46.47	2.00	25.94	3.00	12.97
4.00	7.24	5.00	3.57	6.00	2.03	7.00	1.10	8.00	.65
9.00	.35	10.00	.19						

DATE: 23 AUG
ATTENUATION COEFFICIENT: .69
TIME: 0900 HOURS
R**2: .9985

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	63.47	1.00	40.30	2.00	19.95	3.00	10.28
4.00	5.64	5.00	3.06	6.00	1.51	7.00	.77	8.00	.39
9.00	.19	10.00	.08						

DATE: 15 SEP
ATTENUATION COEFFICIENT: .69
TIME: 1530 HOURS
R**2: .9972

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	59.28	1.00	38.29	2.00	21.00	3.00	10.74
4.00	5.74	5.00	3.15	6.00	1.69	7.00	.86	8.00	.37
9.00	.18	10.00	.07						

DATE: 25 OCT
ATTENUATION COEFFICIENT: .67
TIME: 0935 HOURS
R**2: .9939

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	50.25	1.00	30.99	2.00	14.24	3.00	7.20
4.00	3.77	5.00	1.95	6.00	1.03	7.00	.57	8.00	.31
9.00	.17	10.00	.09						

LAKE 382 BAY

DATE: 27 MAY TIME: 1015 HOURS
ATTENUATION COEFFICIENT: 1.11 R**2: .9971

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	52.77	1.00	29.65	2.00	10.67		

DATE: 25 JUN TIME: 0920 HOURS
ATTENUATION COEFFICIENT: 1.08 R**2: .9922

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	46.79	1.00	27.08	2.00	8.93	3.00	3.72

DATE: 21 JUL TIME: 1115 HOURS
ATTENUATION COEFFICIENT: .94 R**2: .9947

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	55.74	1.00	32.16	2.00	13.29	3.00	5.85

DATE: 23 AUG TIME: 0930 HOURS
ATTENUATION COEFFICIENT: .90 R**2: .9978

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	61.91	1.00	36.47	2.00	15.27	3.00	6.78

DATE: 15 SEP TIME: 1545 HOURS
ATTENUATION COEFFICIENT: .83 R**2: .9987

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	62.98	1.00	39.53	2.00	16.09	3.00	8.11

DATE: 25 OCT TIME: 0950 HOURS
ATTENUATION COEFFICIENT: 1.14 R**2: .9834

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	38.57	1.00	20.92	2.00	7.62	3.00	2.88

LAKE 629

DATE: 26 MAY
ATTENUATION COEFFICIENT: .65
TIME: 1125 HOURS
R**2: .9992

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	60.70	1.00	42.02	2.00	23.34	3.00	12.14
4.00	6.26	5.00	3.17	6.00	1.70	7.00	.89	8.00	.49
9.00	.26	10.00	.14						

DATE: 8 JUL
ATTENUATION COEFFICIENT: .66
TIME: 1110 HOURS
R**2: .9982

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	69.48	1.00	44.67	2.00	22.33	3.00	11.91
4.00	6.75	5.00	3.47	6.00	1.89	7.00	.83		

DATE: 17 AUG
ATTENUATION COEFFICIENT: .75
TIME: 1010 HOURS
R**2: .9883

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	59.83	1.00	43.08	2.00	21.54	3.00	10.89
4.00	5.74	5.00	2.87	6.00	1.39	7.00	.73	8.00	.31
9.00	.06								

DATE: 29 SEP
ATTENUATION COEFFICIENT: .62
TIME: 1010 HOURS
R**2: .9972

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.50	57.43	1.00	37.52	2.00	19.14	3.00	10.45
4.00	5.74	5.00	3.02	6.00	1.68	7.00	.96	8.00	.52
9.00	.29	10.00	.16						

LAKE 661

DATE: 20 MAY TIME: 0830 HOURS
ATTENUATION COEFFICIENT: 2.15 R**2: .9640

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	42.88	.50	30.37	.75	18.76		

DATE: 29 JUN TIME: 1525 HOURS
ATTENUATION COEFFICIENT: 2.57 R**2: .9839

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	45.64	.50	27.67				

DATE: 20 JUL TIME: 0805 HOURS
ATTENUATION COEFFICIENT: 3.13 R**2: .9741

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	32.07	.50	16.72	.75	9.16		

DATE: 11 AUG TIME: 1720 HOURS
ATTENUATION COEFFICIENT: 2.97 R**2: .8991

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	23.77	.50	14.68	.75	9.09		

DATE: 13 SEP TIME: 1155 HOURS
ATTENUATION COEFFICIENT: 3.31 R**2: .9857

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	36.81	.50	19.14				

DATE: 13 OCT TIME: 1330 HOURS
ATTENUATION COEFFICIENT: 2.81 R**2: .9894

DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.	DEPTH	% SURF.
0.00	100.00	.25	43.65	.50	24.50				

APPENDIX 2

In this appendix, the measured irradiances (as percentages of surface irradiance) are plotted against depth (in meters). Percent surface light is plotted on a logarithmic scale, depth on a linear scale.

Each attenuation coefficient (K) is the negative slope of a regression of the natural logarithm of the percent surface light on depth. The solid line represents this regression and is an estimate of the percent surface light at depth, based on K. It has been drawn through 100% at 0 depth because this irradiance-depth relationship is fixed by definition.

LAKE 93


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1.2
2.4
3.6
4.8
6.0
DEPTH, METERS
8 JUL
1145 HOURS
K .92


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1.0
2.0
3.0
4.0
5.0
DEPTH, METERS
17 AUG
1040 HOURS
K .90


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1.6
3.2
4.8
6.4
8.0
DEPTH, METERS
26 MAY
1155 HOURS
K .93

LAKE 111


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
8 JUL
0945 HOURS
K .65


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
17 AUG
0935 HOURS
K .75


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.4
4.8
7.2
9.6
12.0
26 MAY
1015 HOURS
K .56


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
5.0
8.0
10.0
29 SEP
0940 HOURS
K .63

LAKE 114


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0
.8
1.6
2.4
3.2
4.0
4 MAY
0825 HOURS
K 1.01


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0
.8
1.6
2.4
3.2
4.0
20 MAY
0945 HOURS
K .91


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0
.8
1.6
2.4
3.2
4.0
4 JUN
0840 HOURS
K .82


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0
.8
1.6
2.4
3.2
4.0
21 JUN
0930 HOURS
K .71


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0
.8
1.6
2.4
3.2
4.0
1 JUL
1540 HOURS
K .65


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0
.8
1.6
2.4
3.2
4.0
16 JUL
0955 HOURS
K .91

LAKE 114


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
4 AUG
1020 HOURS
K .78


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
16 AUG
0825 HOURS
K .94


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
28 AUG
1125 HOURS
K .72


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
13 SEP
0840 HOURS
K .81


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
27 SEP
0950 HOURS
K .67


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
11 OCT
0910 HOURS
K .77

LF LAKE 114


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0
.8
1.6
2.4
3.2
4.0
26 OCT
0920 HOURS
K .71

LAKE 222


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
0.4
0.8
1.6
2.4
3.2
4.0
13 MAY
1645 HOURS
K 1.45


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.0
2.0
3.0
4.0
5.0
15 JUN
0920 HOURS
K 1.24


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
0.1
0.2
0.3
0.4
0.5
12 JUL
0855 HOURS
K 1.35


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.0
2.0
3.0
4.0
5.0
6 AUG
1600 HOURS
K 1.58


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
0.1
0.2
0.3
0.4
0.5
3 SEP
1015 HOURS
K 1.62


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
.8
1.6
2.4
3.2
4.0
12 OCT
1025 HOURS
K 1.80

LAKE 223


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.4
4.8
7.2
9.5
12.0
DEPTH, METERS
5 MAY
0845 HOURS
K .47


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.5
5.2
7.8
10.4
13.0
DEPTH, METERS
20 MAY
1105 HOURS
K .45


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.5
5.2
7.8
10.4
13.0
DEPTH, METERS
4 JUN
1130 HOURS
K .45


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.5
5.2
7.8
10.4
13.0
DEPTH, METERS
25 JUN
1025 HOURS
K .40


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.5
5.2
7.8
10.4
13.0
DEPTH, METERS
14 JUL
0835 HOURS
K .50


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.5
5.2
7.8
10.4
13.0
DEPTH, METERS
28 JUL
0845 HOURS
K .55

LAKE 223


PERCENT SURFACE LIGHT
.01 .1 1 10 100
2.4 4.8 7.2 9.6 12.0
DEPTH, METERS
10 AUG
0845 HOURS
K .63


PERCENT SURFACE LIGHT
.01 .1 1 10 100
2.0 4.0 5.0 8.0 10.0
DEPTH, METERS
24 AUG
0925 HOURS
K .73


PERCENT SURFACE LIGHT
.01 .1 1 10 100
2.2 4.4 5.5 8.8 11.0
DEPTH, METERS
3 SEP
0945 HOURS
K .60


PERCENT SURFACE LIGHT
.01 .1 1 10 100
2.2 4.4 5.5 8.8 11.0
DEPTH, METERS
15 SEP
1700 HOURS
K .61


PERCENT SURFACE LIGHT
.01 .1 1 10 100
2.4 4.8 7.2 9.6 12.0
DEPTH, METERS
29 SEP
1415 HOURS
K .70


PERCENT SURFACE LIGHT
.01 .1 1 10 100
1.8 3.6 5.4 7.2 9.0
DEPTH, METERS
12 OCT
0905 HOURS
K .70

LAKE 223


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
2.0
4.0
6.0
8.0
10.0
25 OCT
1505 HOURS
K .66

LAKE 224


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
3.8
7.6
11.4
15.2
19.0
13 MAY
1405 HOURS
K .27


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
3.8
7.6
11.4
15.2
19.0
27 MAY
1115 HOURS
K .27


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
3.8
7.6
11.4
15.2
19.0
25 JUN
1000 HOURS
K .27


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
3.8
7.6
11.4
15.2
19.0
21 JUL
1625 HOURS
K .28


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
3.8
7.6
11.4
15.2
19.0
10 AUG
0935 HOURS
K .30


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
3.8
7.6
11.4
15.2
19.0
3 SEP
0920 HOURS
K .31

LAKE 224


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
3.8
7.6
11.4
15.2
19.0
12 OCT
0945 HOURS
K .27

LAKE 226 NE


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
2.0
4.0
6.0
8.0
10.0
6 MAY
1020 HOURS
K .65


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
28 MAY
1145 HOURS
K .70


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
28 MAY
1145 HOURS
K .70


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
21 JUL
1545 HOURS
K .77


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
26 AUG
1050 HOURS
K .73


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
21 SEP
1105 HOURS
K .75

LAKE 226 NE


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.6
3.2
4.8
6.4
8.0
25 OCT
1425 HOURS
K .85

LAKE 226 SW


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.0
4.0
6.0
8.0
10.0
DEPTH METERS
6 MAY
1000 HOURS
K .68


PERCENT SURFACE LIGHT
.01
.1
1
10
100
2.0
4.0
6.0
8.0
10.0
DEPTH METERS
28 MAY
1120 HOURS
K .66


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1.8
3.6
5.4
7.2
9.0
DEPTH METERS
25 JUN
1120 HOURS
K .71


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1.8
3.6
5.4
7.2
9.0
DEPTH METERS
21 JUL
1500 HOURS
K .74


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1.8
3.6
5.4
7.2
9.0
DEPTH METERS
26 AUG
1105 HOURS
K .74


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1.8
3.6
5.4
7.2
9.0
DEPTH METERS
21 SEP
1055 HOURS
K .77

LAKE 226 SW


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.6
3.2
4.8
6.4
8.0
25 OCT
1415 HOURS
K .85

LAKE 227


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.0
2.0
3.0
4.0
5.0
5 MAY
0950 HOURS
K 1.28


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.0
2.0
3.0
4.0
5.0
17 MAY
1105 HOURS
K 1.28


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.0
2.0
3.0
4.0
5.0
4 JUN
1050 HOURS
K 1.59


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
15 JUN
1040 HOURS
K 1.42


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.0
2.0
3.0
4.0
5.0
29 JUN
0955 HOURS
K 1.47


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
12 JUL
0955 HOURS
K 1.65

LAKE 227


PERCENT SURFACE LIGHT
.01
.1
1
10
100
.8
1.6
2.4
3.2
4.0
DEPTH, METERS
21 JUL
1150 HOURS
K 1.97


PERCENT SURFACE LIGHT
.01
.1
1
10
100
.8
1.6
2.4
3.2
4.0
DEPTH, METERS
6 AUG
1445 HOURS
K 2.18


PERCENT SURFACE LIGHT
.01
.1
1
10
100
.6
1.2
1.8
2.4
3.0
DEPTH, METERS
22 AUG
1135 HOURS
K 2.76


PERCENT SURFACE LIGHT
.01
.1
1
10
100
.6
1.2
1.8
2.4
3.0
DEPTH, METERS
3 SEP
1110 HOURS
K 3.08


PERCENT SURFACE LIGHT
.01
.1
1
10
100
.6
1.2
1.8
2.4
3.0
DEPTH, METERS
15 SEP
1610 HOURS
K 3.10


PERCENT SURFACE LIGHT
.01
.1
1
10
100
.6
1.2
1.8
2.4
3.0
DEPTH, METERS
28 SEP
1050 HOURS
K 1.80

LAKE 227


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.6
3.2
4.8
6.4
8.
13 OCT
0840 HOURS
K 1.69

LAKE 239


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
5 MAY
0915 HOURS
K .58


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
12 MAY
1055 HOURS
K .59


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
12 MAY
1055 HOURS
K .60


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
15 JUN
1130 HOURS
K .60


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
29 JUN
1600 HOURS
K .61


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
12 JUL
0915 HOURS
K .74

LAKE 239


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
27 JUL
0910 HOURS
K .67


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
10 AUG
1110 HOURS
K .63


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
16 AUG
1630 HOURS
K .69


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
23 AUG
0910 HOURS
K .78


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
6 SEP
0835 HOURS
K .64


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
20 SEP
0945 HOURS
K .63

LAKE 239


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
2.7
5.4
7.2
9.0
11 OCT
1115 HOURS
K .66


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
2.7
5.4
7.2
9.0
26 OCT
1000 HOURS
K .67

LAKE 302 N


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
2.0
4.0
6.0
8.0
10.0
4 MAY
0915 HOURS
K .63


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
2.0
4.0
6.0
8.0
10.0
12 MAY
0820 HOURS
K .72


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
12 MAY
0850 HOURS
K .71


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
2.0
4.0
6.0
8.0
10.0
20 MAY
1020 HOURS
K .74


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
4 JUN
0915 HOURS
K .78


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH METERS
1.8
3.6
5.4
7.2
9.0
22 JUN
0830 HOURS
K .72

LAKE 302 N


PERCENT SURFACE LIGHT
.01
.1
1
10
100
1 JUL
1500 HOURS
K .71


PERCENT SURFACE LIGHT
.01
.1
1
10
100
16 JUL
0830 HOURS
K .76


PERCENT SURFACE LIGHT
.01
.1
1
10
100
4 AUG
0845 HOURS
K .80


PERCENT SURFACE LIGHT
.01
.1
1
10
100
16 AUG
0915 HOURS
K .81


PERCENT SURFACE LIGHT
.01
.1
1
10
100
28 AUG
1105 HOURS
K .72


PERCENT SURFACE LIGHT
.01
.1
1
10
100
13 SEP
0920 HOURS
K .75

LAKE 302 N


PERCENT SURFACE LIGHT
.01
.1
1
10
100
27 SEP
0850 HOURS
K .72


PERCENT SURFACE LIGHT
.01
.1
1
10
100
11 OCT
0945 HOURS
K .85


PERCENT SURFACE LIGHT
.01
.1
1
10
100
25 OCT
1625 HOURS
K .87

LAKE 302 S


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.6
3.2
4.8
5.4
4 MAY
0940 HOURS
K .58


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.6
3.2
4.8
5.4
12 MAY
0835 HOURS
K .58


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.6
3.2
4.8
5.4
20 MAY
1010 HOURS
K .57


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.6
3.2
4.8
5.4
4 JUN
0930 HOURS
K .60


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.8
3.6
5.4
7.2
9.0
22 JUN
0810 HOURS
K .63


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.8
3.6
5.4
7.2
9.0
1 JUL
1515 HOURS
K .67

LAKE 302 S


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.8
3.6
5.4
7.2
9.0
16 JUL
0940 HOURS
K .67


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
4 AUG
0955 HOURS
K .81


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.8
3.6
5.4
7.2
9.0
16 AUG
0905 HOURS
K .82


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
27 AUG
0915 HOURS
K .81


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.8
3.6
5.4
7.2
9.0
28 AUG
1055 HOURS
K .77


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
13 SEP
1000 HOURS
K .60

LAKE 302 S


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.8
3.6
5.4
7.2
9.0
27 SEP
0910 HOURS
K .50


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
2.0
4.0
6.0
8.0
10.0
11 OCT
1000 HOURS
K .53


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
1.8
3.6
5.4
7.2
9.0
25 OCT
1615 HOURS
K .57

LAKE 303


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
0.4
0.8
1.2
1.6
2.0
20 MAY
0850 HOURS
K .79


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
0.4
0.8
1.2
1.6
2.0
29 JUN
1455 HOURS
K .63


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
0.4
0.8
1.2
1.6
2.0
28 JUL
0845 HOURS
K .95


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
0.5
1.0
1.5
2.0
2.5
11 AUG
1555 HOURS
K .99


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
0.4
0.8
1.2
1.6
2.0
13 SEP
1130 HOURS
K 1.08


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.0
0.4
0.8
1.2
1.6
2.0
13 OCT
1040 HOURS
K 1.12

LAKE 304


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.1
2.0
3.0
4.0
5.0
20 MAY
0915 HOURS
K 1.29


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.0
2.0
3.0
4.0
5.0
22 JUN
0925 HOURS
K 1.36


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
0.1
2.0
3.0
4.0
5.0
20 JUL
0920 HOURS
K 1.92


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
11 AUG
1630 HOURS
K 1.56


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.2
2.2
3.2
4.0
5.0
13 SEP
1110 HOURS
K 1.43


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.8
1.6
2.4
3.2
4.0
13 OCT
1010 HOURS
K 1.34

LAKE 305


PERCENT SURFACE LIGHT
.01 .1 1 10 100
DEPTH, METERS
3.2 6.4 9.6 12.8 16.0
27 MAY
0910 HOURS
K .34


PERCENT SURFACE LIGHT
.01 .1 1 10 100
DEPTH, METERS
3.2 6.4 9.6 12.8 16.0
25 JUN
0835 HOURS
K .34


PERCENT SURFACE LIGHT
.01 .1 1 10 100
DEPTH, METERS
3.2 6.4 9.6 12.8 16.0
21 JUL
1005 HOURS
K .35


PERCENT SURFACE LIGHT
.01 .1 1 10 100
DEPTH, METERS
3.2 6.4 9.6 12.8 16.0
22 AUG
1105 HOURS
K .35


PERCENT SURFACE LIGHT
.01 .1 1 10 100
DEPTH, METERS
3.2 6.4 9.6 12.8 16.0
15 SEP
1500 HOURS
K .36


PERCENT SURFACE LIGHT
.01 .1 1 10 100
DEPTH, METERS
3.0 6.0 9.0 12.0 15.0
25 OCT
1105 HOURS
K .38

LAKE 382


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
27 MAY
1000 HOURS
K .67


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.5
5.4
7.2
9.0
25 JUN
0910 HOURS
K .65


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
21 JUL
1055 HOURS
K .62


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
23 AUG
0900 HOURS
K .69


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
15 SEP
1530 HOURS
K .69


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
25 OCT
0935 HOURS
K .67

LAKE 382 BAY


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.4
.8
1.2
1.5
2.0
27 MAY
1015 HOURS
K 1.11


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.5
1.2
1.8
2.4
3.0
25 JUN
0920 HOURS
K 1.08


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.5
1.2
1.8
2.4
3.0
21 JUL
1115 HOURS
K .94


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.5
1.2
1.8
2.4
3.0
23 AUG
0930 HOURS
K .90


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.5
1.2
1.8
2.4
3.0
15 SEP
1545 HOURS
K .83


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
.5
1.2
1.8
2.4
3.0
25 OCT
0950 HOURS
K 1.14

LAKE 629


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.4
2.8
4.2
5.6
7.0
8 JUL
1110 HOURS
K .66


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1.8
3.6
5.4
7.2
9.0
17 AUG
1010 HOURS
K .75


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
26 MAY
1125 HOURS
K .65


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2.0
4.0
6.0
8.0
10.0
29 SEP
1010 HOURS
K .62

LAKE 661


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2
3
5
6
8
20 MAY
0830 HOURS
K 2.15


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2
3
5
6
8
29 JUN
1525 HOURS
K 2.57


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2
3
5
6
8
20 JUL
0805 HOURS
K 3.13


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
2
3
5
6
8
11 AUG
1720 HOURS
K 2.97


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1
2
3
4
5
13 SEP
1155 HOURS
K 3.31


PERCENT SURFACE LIGHT
.01
.1
1
10
100
DEPTH, METERS
1
2
3
4
5
13 OCT
1330 HOURS
K 2.81

POOR

QUALITY

ORIGINAL